



# Technical File

## Aura Cloud Print CIR



# 01

## Dimensions



Diameter



Thickness

Aura Cloud Print CIR

Ø 1150 Thickness: 40 mm


# 02

## Printed Materials



**Composition** 100% PET  
**Thickness** 40 mm  
**Flame Retardancy** EN 13501-1: B-s1,d0  
**Acoustic Absorption Coefficient** Class B (0,85)  
**STANDARD 100 by OEKO-TEX®**

**Print Finish**  
Plaster



**Composition** 100% PET  
**Thickness** 40 mm  
**Flame Retardancy** EN 13501-1: B-s1,d0  
**Acoustic Absorption Coefficient** Class B (0,85)  
**STANDARD 100 by OEKO-TEX®**

**Print Finish**  
Concrete



**Composition** 100% PET  
**Thickness** 40 mm  
**Flame Retardancy** EN 13501-1: B-s1,d0  
**Acoustic Absorption Coefficient** Class B (0,85)  
**STANDARD 100 by OEKO-TEX®**

**Print Finish**  
Vintage Wood



**Composition** 100% PET  
**Thickness** 40 mm  
**Flame Retardancy** EN 13501-1: B-s1,d0  
**Acoustic Absorption Coefficient** Class B (0,85)  
**STANDARD 100 by OEKO-TEX®**

**Print Finish**  
Dunes



**Composition** 100% PET  
**Thickness** 40 mm  
**Flame Retardancy** EN 13501-1: B-s1,d0  
**Acoustic Absorption Coefficient** Class B (0,85)  
**STANDARD 100 by OEKO-TEX®**

**Print Finish**  
Marble